

Encapsulated perfumes and/or aromas having a specific release behaviourFIELD OF THE INVENTION

The present invention relates to encapsulated aromas and/or perfumes and to processes for their production.

BACKGROUND OF THE INVENTION

Aromas (flavouring matters) and perfumes are complex liquid mixtures of volatile components. During the production and preparation of aromatized foods and perfumed products, there is the necessity for controlling the release of aromas or perfumes in order to avoid losses.

10

Especially in the case of water-containing foods which are ultra-heated, protection of the aroma is a technological challenge. In this case, significant aroma losses occur owing to the volatility of the aroma components on heating. In addition, in the case of aroma compositions, due to the differing loss rates of the individual components, shifts in aroma profile can occur. The transfer of the aroma into the liquid during the high-temperature phase in a food processing process must therefore be avoided. For this purpose encapsulation of the aroma is suitable. This aroma capsule should then ideally dissolve in a controlled manner during the cooling phase and thus also release the aroma in a controlled manner.

15

20

The application of coatings to particles to establish the solubility behaviour or release behaviour and for protecting encapsulated substances is known. Jackson and Lee, in their review article "Microencapsulation and the Food Industry" (Lebensm.-Wiss.u.-Technol. 24, 289-297 (1991)) enumerate a great number of suitable coating materials, including fats, waxes, hydrocolloids, for example including modified celluloses, and proteins.

25

WO 97/16078 describes a process only of aroma substances and perfumes which can be encased by a protective skin. As possible casing, inter alia, modified cellulose is also mentioned. The granules themselves are inhomogeneous and comprise a support material and an aroma enclosed in a film-forming agent. The purpose of this application is to produce granules as free as possible from dust. The resultant particles have an irregular shape and an uncontrollable constituent release behaviour.

A reduction in the release rate of encapsulated aromas having a hydrophilic matrix in aqueous systems is customarily achieved by applying coatings of hydrophobic substances, for example fats or waxes, and also of gel-forming proteins or

"Express Mail" mailing label number EK633384741US
Date of Deposit March 15, 2001

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner of Patents and Trademarks, Washington, D.C. 20231

Donna J. Veatch

(Name of person mailing paper or fee)

Signature of person mailing paper or fee

09/7871 80 064000

hydrocolloids. However, for clear aqueous foods, fats or waxes are unsuitable, since visually unacceptable deposits in the food form when they are used.

Although hydrocolloid gels are hydrophilic, that is to say they are colloiddally soluble
5 in aqueous systems, the hydration and solubility of the gel increases in many of these
systems constantly with increasing temperature, however. Aroma protection is then
lowest precisely at high temperatures.

In contrast, certain modified celluloses are distinguished by reversible formation of a solid gel in water at elevated temperatures, which is unique in the hydrocolloid group. The viscosity of these gels increases greatly at high temperatures (above the characteristic flocculation point, that is to say the temperature from which solid, high-viscosity gels are formed), and then decreases again on cooling. The reversibility of gel formation also significantly distinguishes the modified celluloses from the behaviour of protein gels which, although they can also gel at high temperature, their gels do not redissolve on cooling.

20 This viscosity and temperature behaviour above the flocculation point, which is the inverse of that of other gel systems, and the reversibility of gel formation of certain modified celluloses is termed “reversible thermal gelation” (Edible Films and Coatings: A Review, Food Technology, December 1986, 47-59).

25 The utilization of the reversible thermogelation of methyl cellulose or hydroxypropyl cellulose in the use as protected matrix for temperature-sensitive substances is known per se.

In WO 92/11084, methyl cellulose is used in a capsule matrix for the sweetener aspartame which is unstable in water-containing media at high temperatures. The stability of the sweetener in bakery products can thus be increased.

WO 98/49910 describes the encapsulation of foodstuffs and other materials, these materials first being encased with a hydrophobic film and then with a layer which has a temperature-dependent reversible solution behaviour. This layer can consist of cellulose derivatives or other polymers. The inner hydrophobic film consists, for example, of fats, paraffin or water. It is also possible that an outer hydrophobic layer is further placed around the polymeric layer having reversible solution behaviour. The encapsulated material can be of variable size and can be present from the food itself or in tablet form. The inner layer can also be present in the encapsulated

material (hybrid system). A disadvantage of this system is the hydrophobic layer, which in an aqueous system deposits on the surface in an unwanted manner.

SUMMARY OF THE INVENTION

- The object of the present invention was, in the production of aromatized, water-
5 containing foods which pass through a heating process, to control effectively the
aroma release. The release rate in the cooling phase should be specifically
controllable in a time- and temperature-dependent manner up to complete cold water
solubility. In addition, the release rates for different aroma components should be
approximately equal, in order to prevent unwanted shifting of the flavour profile.
10 Aroma losses are to be decreased by delaying the release at high temperatures.

DETAILED DESCRIPTION OF THE INVENTION

- 528 **A DETAILED DESCRIPTION OF THE IN**
Encapsulated aromas and/or perfumes have been found which are characterized in that they consist of hydrophilic solid particles in which the aromas and/or perfumes are enclosed and which are encased with or comprise modified cellulose, this having reversible gel formation on temperature increase.

The inventive use of certain modified celluloses for the protection and inversely temperature/time-controlled release of encapsulated aromas and/or perfumes in hot aqueous systems was surprising.

- 20 The cellulose for the inventively encapsulated aromas and/or perfumes forms a film which has a high viscosity precisely at high temperatures in aqueous media and is a diffusion barrier for aroma substances. During gradual subsequent cooling, the cellulose gel layer has increased swellability, controllable viscosity decrease as far as
- 25 complete residue-free solubility. The aroma can, as a result, be released in a time/temperature-dependent manner and linearly. The mode of functioning of the coating (delay rate) can be optimally matched to the respective application requirements.

- 30 The modified cellulose forms a casing of the aroma particles and/or perfume particles. The diffusion of the aroma substances or perfumes through the casing layer and thus their release can be controlled via the selection of the cellulose having the specific flocculation point and via the thickness of the casing layer.

- 35 The inventive encapsulated aromas and/or perfumes can comprise 1 to 50% by weight, preferably 2 to 20% by weight, particularly preferably 5 to 10% by weight, of modified cellulose. The respective amount of cellulose determines the layer

1997年12月

thickness and controls the release rates for the aromas and/or perfumes, the more slowly the release taking place the higher the cellulose content.

Modified celluloses for the inventive encapsulated aromas and/or perfumes are taken
5 to mean modified celluloses which can form thermally reversible gels. Particular
preference is given here to methyl cellulose, hydroxypropyl cellulose, hydroxypropyl
methyl cellulose, ethyl methyl cellulose, ethyl cellulose or mixtures thereof.

Reversible thermal gelation cannot occur with all substances which are summarized under the term "modified celluloses". Gels other than the inventive "modified celluloses", for example carboxymethyl cellulose, do not behave in the desired manner.

Hydrophilic aroma particles and/or perfume particles are composed of an aroma
15 mixture and/or a perfume mixture and a hydrophilic support (for example gum arabic
or dextrans, such as maltodextrin) which is known per se.

It is also possible to add other substances, for example vitamins, microorganisms, edible acids or colours.

For the present invention it is essential that no further layers are necessary to protect the core.

25 The invention also relates to a process for producing encapsulated aromas and/or perfumes, in which the aroma particles and/or perfume particles are provided with a coating. This process is characterized in that the coating comprises a modified cellulose with which reversible gelation occurs with temperature increase.

The inventive production process produces encapsulated aromas and/or perfumes of the abovedescribed type having the advantages mentioned there. These encapsulated aromas and/or perfumes can comprise after their manufacture 1 to 50% by weight, preferably 2 to 20% by weight, particularly preferably 5 to 10% by weight, of modified cellulose. Modified celluloses which may be mentioned are in particular methyl cellulose, hydroxypropyl cellulose, hydroxypropyl methyl cellulose, ethyl methyl cellulose, ethyl cellulose or mixtures.

1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2660 2661 2662 2663 2664 2665 2666 2667 2668 2669 2670 2671 2672 2673 2674 2675 2676 2677 2678 2679 2680 2681 2682 2683 2684 2685 2686 2687 2688 2689 2690 2691 2692 2693 2694 2695 2696 2697 2698 2699 2700 2701 2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2730 2731 2732 2733 2734 2735 2736 2737 2738 2739 2740 2741 2742 2743 2744 2745 2746 2747 2748 2749 2750 2751 2752 2753 2754 2755 2756 2757 2758 2759 2760 2761 2762 2763 2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2778 2779 2780 2781 2782 2783 2784 2785 2786 2787 2788 2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2

The suitable feed air temperatures during coating in the fluidized bed are between 50°C and 140°C. The suitable exhaust air temperatures during coating in the fluidized bed are between 30°C and 100°C.

- 5 The layer thickness is 1 to 200 μm , preferably 2 to 100 μm , in particular preferably 5 to 50 μm .

The layer thickness is set by the amount of coating solution sprayed on.

- 10 Depending on the application, other substances or else mixtures of substances, for example other hydrocolloids, fats, waxes, sugars or else plasticizers, for example polyethylene glycol or other customary additives, for example food colours, can be added to the spray solution.

- 15 In an alternative embodiment of the present invention, the aroma particles and/or perfume particles are encased not by a unitary casing, but by impregnation of the particles with the modified cellulose.

- Suitable encapsulated substances are all aroma and/or perfume mixtures which are
20 used in industry, and also individual aroma components and/or perfume components.

The invention in addition relates to a process for enriching foods with aromas or for producing perfumed consumer articles, for example detergents. This process is characterized in that the above described encapsulated aromas and/or perfumes are added to the foods or the consumer articles.

Examples which may be mentioned are infusion bag tea, instant sauce powder, prepared sauce, pasteurized beverages, chewing sweets, wafers, detergents.

- 30 Preferably, the foods, during or after the addition of the inventive encapsulated aromas and/or perfumes are heated to a temperature above the flocculation point of the modified cellulose and are then cooled.

- By means of the particular release behaviour of the inventive aromas, new qualities of the foods can be achieved. Thus, for example, heating is possible without an excessive aroma loss occurring. During cooling of the foods, vice versa, the desired and defined release of the aromas occurs, which can be controlled in its time course by the type of encapsulation. Since the different individual aroma components are

[illegible]

released at the same rate, and their weight ratio to one another therefore remains constant, no unwanted shifts in aroma profile occur either.

2020年12月26日

Examples

The invention is described in more detail below with reference to example embodiments with associated figures.

5

Figure 1 shows the aroma release of encapsulated aromas with and without a coating of modified cellulose.

Figure 2 shows the release of different aroma components.

10

Example 1

Production of capsules having a release rate of 50% per minute at temperatures above 60°C

15

A solution of 2.0% by weight of low-viscosity methyl cellulose (viscosity of a 2% strength aqueous solution at 20°C: 400 cP) in water is produced. The flocculation point of this methyl cellulose is above 50°C.

20

In a fluidized-bed apparatus of the type shown in EP 0 163 836 (having the following features: diameter of gas distributor plate: 225 mm, spray nozzle: two-component nozzle, classifying discharge: zig-zag sifter, filter: internal bag filter) particles which comprise an encapsulated model aroma mixture (consisting of ethyl butyrate: limonene: phenylethyl alcohol, 1:1:1) coated with methyl cellulose. By raising the

25 classifying gas rate to 20 kg/h at 30°C no material is discharged, that is to say coating takes place batchwise. For this operation 480 g of aroma particles are introduced as initial bed charge. The methyl cellulose solution is sprayed into the fluidized-bed granulator at a temperature of 22°C. The temperature of the atomizing gas is 30°C. To fluidize the bed contents, nitrogen is blown in at a rate of 120 kg/h. The inlet

30 temperature of the fluidizing gas is 140°C. The temperature of the exhaust gas is 81°C. Free-flowing granules are obtained. The solid particles are round. The thin, highly uniform methyl cellulose coating is 5% by weight, based on the granule weight.

Figure 2, for the same process, shows the release curves for two different aroma components (dotted and continuous lines). These run almost overlapping. That is to

COLE

say that the components are released at the same rate, so that an undesired shift in the flavour profile does not occur.

Example 3

5

Production of capsules containing strawberry aroma

A solution of 2.0% by weight of a low-viscosity methyl cellulose (viscosity of a 2% strength aqueous solution at 20°C: 400 cP) in water is produced. The flocculation point of this methyl cellulose is above 50°C.

A coating of methyl cellulose is applied to aroma particles which comprise an encapsulated strawberry aroma in a fluidized-bed apparatus of the GPCG 3 type from Glatt having the following features:

- 15 Diameter of gas-distributor plate: 150 mm,
Spray nozzle: Two-component nozzle,
Filter: Internal bag filter,
Fluidizing gas inlet temperature: 100°C,
Exhaust air temperature: 60°C,
20 Atomizing gas temperature: 22°C,
Fluidizing gas rate: 50 kg/h.

The methyl cellulose coating is 10% by weight, based on the granule weight.

4. Application examples

4.1. Tea in infusion bags

To tea in bags are added aroma particles having strawberry aroma encapsulated therein, which are furnished with methyl cellulose coating, and aroma particles without methyl cellulose coating which comprise the same strawberry aroma.

Advantages:

After infusion of the aromatized tea bags, the following are obtained

- 35 - both a strong immediate aroma impact which is perceived by odour (orthonasally) and flavour (retronasally),

Improvement of the aroma profile by protecting the volatile ethyl butyrate during the heating step and subsequent complete release of the ethyl butyrate during the cooling process in the closed vessel. The coating leaves no residue behind in the final drink.

4.5 Chewing sweets

- 5 Red-dyed aroma granules containing raspberry aroma encapsulated therein and methyl cellulose coating is added prior to shaping at 1% into the hot (120°C) chewing sweet mass which comprises sucrose, water, glucose syrup, fat, fondant, gelatin, citric acid and an emulsifier, and the mixture is then cooled and aerated.

Advantages:

- 10 - The granules do not dissolve during the production process, so that a visual effect can be achieved via the conspicuous granules in the end product.
- Low aroma losses occur during the processing operation.
- 15 The aroma is present in the matrix localized at few points and does not migrate. As a result, a special sensory effect is achieved (hot spots). The surrounding chewing sweet mass can be aromatized with another liquid aroma, whereby a double sensory effect can be achieved.

4.6. Detergent

20 Granules which comprise an encapsulated perfume combination (lily of the valley fragrance) and which is furnished with a coating of modified cellulose is used to perfume washing powder.

25

Advantage:

- The perfume dose in the detergent can be reduced. Loss of perfuming during washing of clothes via leaching with the washing water is minimized, since the aroma particles adhere to the clothing fibres. The encapsulated perfume is protected
- 30 in particular at high washing temperatures.

4.7. Ice cream wafers

- 35 Yellow-dyed aroma granules having lemon aroma encapsulated therein and a 5% strength methyl cellulose coating are added at a dose of 2% by weight to a dough mixture for manufacturing ice cream wafers. This dough mixture consists of water (45%), wheat flour (35%), sucrose (15%), ground nut oil, lecithin, salt. The dough

containing the aroma granules is then poured out thinly onto a 250°C wafer iron and baked for 1.5 minutes. The wafers are then rolled up to form cones.

Advantages over uncoated aroma granules:

- 5 The aroma granules are retained during the baking process and only small losses of the encapsulated volatile lemon aroma occur. The aroma is not released until during consumption, mechanically by chewing.

- 10 Due to the localization of the aroma at individual points in the wafer, a special sensory effect can be achieved.

A visual effect can be achieved by the retention of the conspicuously dyed granules.

000150-00123200